

ZHIYUN WEEBILL S

Varenummer: ZHI112653



2,432.00

DKK ex moms

3,040.00

DKK incl moms

Produkteksperter:



Ronni Jaqué
ronni@goecker.dk
35865107
København



Jakob Worre
ronni@goecker.dk
35865142
Aarhus

Beskrivelse:

Zhiyun Weebill S

- Supports a full frame setup like Sony A7S III + 24-70mm f/2.8
- Highly upgraded motors and algorithm
- Undersling handle grip for effort-saving carry
- Up to 14 hours of battery operating time

New for Weebill-S is a 300% upgraded power torque motor and a 50% increase in responsiveness.

It works well with camera combos, including Sony's A7III+FE 24-70mm F2.8 or the Canon 5D4+EF 24-70mm F2.8, unleashing unlimited possibilities.

The WEEBILL-S unique ergonomic sling mode lets you easily switch between high and low angle shots using the TransMount quick setup kit. A new algorithm enables the gimbal to automatically recognize weight and selects the perfect motor strength for the best shooting accuracy.

All-new TransMount Image Transmission Module*

The all-new image transmission module enables crystal clear clarity with 1080p at 30fps, maximum 100-meter image transmission featuring; LUT, pseudo coloring, focus peak, and zebra adjustment for professional monitoring and livestream publishing. You get better usability from the TransMount image transmission module which allows you to add 3 separate devices to the stabilizer whether it is a smartphone, tablet, or professional monitor.

Enhanced battery power, 14 hours runtime Fitted with two standard 18650 batteries, the Weebill S is capable of up to 14 hours of continuous filming on a single charge. It also allows direct charging power to the camera while shooting, so you don't have to interrupt to change camera batteries.

*** Sold separately**

Smart Calibration

WELLBILL-S integrates the brand-new self-adaptive control algorithm which automatically recognizes the weight and selects the perfect motor strength for the best shooting accuracy. Plus the Weebill-S expansion bar adds a counterweight to balance the gimbal, use the sling mode to add a microphone, and record while shooting with a GoPro. You can adjust the follow speed for each axis to adapt to various shooting scenarios.

Fast set up

The Weebill-S uses the two-in-one quick release plate (both arca swiss and Manfrotto) allowing for an easier setup and a faster transition between equipment without re-balancing. And, the latch design, allows for each axis to be easily locked for better balancing adjustments and storage.

ViaTouch 2.0 and SmartFollow 2.0

Our latest accompanying software update is ViaTouch 2.0 in the app ZY Play which allows for a seamless connection between smartphone and camera. Users can easily monitor video, control and record, and adjust the camera parameters through ViaTouch 2.0. Coupled with the image transmission module is an all new object tracking function called SmartFollow 2.0. Select the object or even yourself from the ViaTouch 2.0 interface and the camera will follow your movement with ultra-low latency and a cinematic experience.

New focus wheel The WEEBILL-S supports electronic focus and mechanical focus/zoom control with a new handy control wheel on the grip, to realize a fast and accurate focus or zoom when shooting. Using the servo focus/zoom motor, users can control the zoom and focus for a more professional filmmaking experience.

Whats in the box

- Weebill S
- Usb Cable (type C)
- Usb cable (micro/micro)
- Usb cable (micro/mini)
- Quick start guide
- Storage case
- Tripod
- Charger
- 18650 Li-Ion battery 2 pcs
- Backing base
- Quick release assembly
- Cable Case

Specifikationer:

Producent	Zhiyun
Kategori	Gimbal support
Leverandør	Focus Nordic *